



SONOSCAN

STRAIGHT BEAM & DUAL ELEMENT PROBES

MADE IN GERMANY

نماینده انحصاری در ایران
کاوشکاران
تلفن: ۰۲۱ - ۸۸۶۸ ۵۲۹۷
www.IR-QC.com

SONOTEC 
ULTRASONIC SOLUTIONS



Pulse-Echo Probes (European Standard)

Pulse Echo Probe SONOSCAN PL1 EN	Ø 24 mm, 1 MHz , with Protection Membrane, Lemo-1 Connector
Pulse Echo Probe SONOSCAN PS2 EN	Ø 10 mm, 2 MHz , with Protection Membrane, Lemo-00 Connector
Pulse Echo Probe SONOSCAN PL2 EN	Ø 24 mm, 2 MHz , with Protection Membrane, Lemo-1 Connector
Pulse Echo Probe SONOSCAN PS4 EN	Ø 10 mm, 4 MHz , with Protection Membrane, Lemo-00 Connector
Pulse Echo Probe SONOSCAN PL4 EN	Ø 24 mm, 4 MHz , with Protection Membrane, Lemo-1 Connector
Pulse Echo Probe SONOSCAN PXS10 EN	Ø 8 mm Contact Face with Delay Line, 10 MHz , Microdot Connector

Dual Element Probes

Dual Element Probe SONOSCAN TS2 EN	Ø 11/2 mm, 2 MHz , Dual-Lemo-00-Connector
Dual Element Probe SONOSCAN TL2 EN	7 x 18 mm, 2 MHz , Dual-Lemo-00-Connector
Dual Element Probe SONOSCAN TS4 EN	3,5 x 10 mm, 4 MHz , Dual-Lemo-00-Connector
Dual Element Probe SONOSCAN TS1 EN	3,5 x 10 mm, 1 MHz , Dual-Lemo-00-Connector
Dual Element Probe SONOSCAN TL4 EN	6 x 20 mm, 4 MHz , Dual-Lemo-00-Connector
Dual Element Probe SONOSCAN TS5 EN	Ø 9/2 mm, 5 MHz , Piezo Composite, Dual-Lemo-00-Connector
Dual Element Fingertip Probe SONOSCAN TXS10 EN	Ø 8 mm contact face, 10 MHz , Fixed cable with mit 2 Lemo-00-Connector



Intelligent probe recognition SONO-ID

SONOWALL 70 is the first thickness gage in the market with intelligence probe identification. The extended probe management allows probe-specific information, such as DAC-curves, delay lines and serial numbers, to be saved directly in the probe

Pulse-Echo SONO-ID Probes

Pulse Echo Wall Thickness Probe
SONOSCAN PS2i EN

Ø 10 mm, 2 MHz, with Protection Membrane,
Lemo-00 Connector, SONO-ID tag

Pulse Echo Fingertip Probe
SONOSCAN PXS10i EN

Ø 8 mm contact face with with delay line, 10 MHz,
Microdot Connector, SONO-ID tag

Dual-Element SONO-ID Probes

Dual Element Wall Thickness Probe
SONOSCAN TS2i EN

Ø 9/2 mm, 2 MHz, Piezo Composite, Dual Lemo-00
Connector, SONO-ID tag

Dual Element Wall Thickness Probe
SONOSCAN TS5i EN

Ø 9/2 mm, 5 MHz, Piezo Composite, Dual Lemo-00
Connector, SONO-ID tag

Dual Element Fingertip Probe
SONOSCAN TXS10i EN

Ø 8 mm contact face, 10 MHz, fixed cable with 2
Lemo-00 Connectors, SONO-ID tag

نماینده انحصاری در ایران

کاوشکاران

تلفن: ۰۲۱ - ۸۸۶۸ ۵۲۹۷

www.IR-QC.com

SONOTEC



Certified according to ISO 9001

SONOTEC Ultraschallsensorik Halle GmbH
Nauendorfer Str. 2
06112 Halle (Saale)
Deutschland

phone +49 (0)345 / 133 17-0
fax +49 (0)345 / 133 17-99
e-mail sales_eu@sonotec.de
web www.sonotec.eu

